

GHS Safety Data Sheet



Product Name:
Congoleum Bright 'N Easy Satin-Gloss Floor Finish

Date Revised: 05/07/2015

Preparer: LGD
Reviewer: TCG

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name: Congoleum Bright 'N Easy Satin-Gloss Floor Finish
Manufacturer: Congoleum Corporation
Address: 3500 Quakerbridge Road
Mercerville, NJ 08619
800-274-3266
Emergency Phone: CHEM TEL at 800-255-3924 (24 Hours)
Product Uses: Floor finish

SECTION 2 – HAZARDS IDENTIFICATION

Classification:

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Controlled Parameters:

Components	CAS Number	Weight %	GHS-US Classification
Acrylic copolymer emulsion	NA	37	Not Available
Diethylene glycol ethyl ether	111-90-0	~4	Not a hazardous substance
Tributoxyethyl phosphate	78-51-3	~1	Acute Toxicity-Inhalation (4) Acute Toxicity-Dermal (4) Skin Irritant (2) Eye Irritant (2A) STOT-SE (3): Resp Acute Aquatic Toxicity (3) Chronic Aquatic Toxicity (3)

*STOT-SE (3): Resp= Specific Target Organ Toxicity-Single Exposure (3) – Respiratory Tract Irritation

SECTION 4 – FIRST AID MEASURES

Eyes: If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Skin: Rinse the contaminated area with water.

Ingestion: If swallowed, call a poison control center/doctor, if you feel unwell. Rinse mouth.

Inhalation: Remove person to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, give artificial respiration.

GHS Safety Data Sheet Congoleum Bright 'N Easy Satin-Gloss Floor Finish

SECTION 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: No data available.

Unusual Fire and Explosion Hazards: Use water to cool fire-exposed containers.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with eyes.

Methods for Clean Up: For small spills mop up as much as possible and flush area with water. For large spills, soak up with absorbent. Shovel into waste containers. Flush area with water. Material is slippery; use care to avoid falling.

SECTION 7 – HANDLING AND STORAGE

- Avoid contact with eyes. Avoid prolonged or repeated skin contact.
- Store at temperatures between 55 and +100°F. Store only in the original container.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls

Eye Protection: Use safety eyewear including safety glasses. Eyewash stations should be readily accessible.



SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Milky white liquid
Odor:	Acrylic and ammonia
Odor Threshold:	No data available
Physical State:	Liquid
pH:	8.5
Melting Point/ Freezing Point:	Freeze pt. ~32° F
Boiling Range:	No data available
Flash Point:	None
Evaporation Rate:	< 1
Flammability (solid; gas):	None
Upper/Lower Explosive Limits (% by volume of vapor):	No data available
Vapor Pressure:	> 17 mm HG @ 68° F
Vapor Density:	No data available
Specific Gravity or Relative Density:	1.03
Solubility(ies):	Dilutable
Partition Coefficient (n-octanol/water):	No data available
Viscosity:	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available

GHS Safety Data Sheet Congoleum Bright 'N Easy Satin-Gloss Floor Finish

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: Stable under recommended storage conditions.
Conditions to Avoid: Temperatures above 350° F
Incompatible Materials: No data available
Hazardous Decomposition Products: No data available

SECTION 11 – TOXICOLOGICAL INFORMATION

Potential Routes of Exposure: Eyes, skin
Delayed and chronic effects from short and long term exposure: No data available
Carcinogens or suspected carcinogenic ingredients: None

SECTION 12 – ECOLOGICAL INFORMATION

No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Product should be prevented from entering storm sewers and drains or contact with soil.

SECTION 14 – TRANSPORT INFORMATION

Classification: Buffing and Polishing Compound, NOI
Not dangerous goods for DOT, IATA, IMDG or TDG

SECTION 15 – REGULATORY INFORMATION


TSCA Inventory: All components are listed
EPA SARA Title III Section 313: This product contains the following listed chemical: Diethylene glycol ethyl ether 111-90-0.
California Safe Drinking Water & Toxic Enforcement ACT (Proposition 65): This product does not contain any chemicals known the State of California to cause cancer, birth defects, or other reproductive harm.

SECTION 16 – OTHER INFORMATION

NFPA health hazard: 1 Exposure would cause irritation with only minor residual injury..
NFPA fire hazard: 0 Materials will not burn under typical fire conditions.
NFPA reactivity: 0 Normally stable,

HMIS III Rating:

Health: 1 Irritation and minor, reversible injury
Flammability: 0 Materials will not burn
Physical: 0 Materials are normally stable



GHS Safety Data Sheet Congoleum Bright 'N Easy Satin-Gloss Floor Finish

Given available knowledge, the information contained herein is accurate. However, neither Congoleum Corporation nor any of its subsidiaries or affiliates assumes any liability whatsoever for the completeness or accuracy of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials should be used with caution. Although certain hazards are described herein, Congoleum Corporation cannot guarantee that these are the only hazards that exist.

Supersedes: 10/7/1997 (982107971); 5/20/2004; 11/12/2013 (982109936);

H:\EH&S\...\CongoProd\Sundries\2015 Revisions\2015-05-07 BNE Satin-Gloss Finish.docx

END OF DOCUMENT