

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 03/16/2016 Date of issue: 03/16/2016

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Rinse Free Cleaner

Other means of identification: Aqueous floor cleaner

1.2. Intended Use of the Product Use of the substance/mixture: Floor cleaner

1.3. Name, Address, and Telephone of the Responsible Party

Company

Mannington Mills, Inc. P.O. Box 30 - Route 45 75 Mannington Mills Road Salem, New Jersey 08079 General: (856) 935-3000

1.4. Emergency Telephone Numbers:

Product/Medical Emergency phone number (24 hours): (866) 359-5602

Transport Emergency:

Within the U.S. - CHEMTREC: (800) 424-9300, Outside the U.S. - CHEMTREC: +1-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US classification

Eye Dam. 1

H318

Aquatic Chronic 3

H412

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Danger

Hazard Statements (GHS-US)

: H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US)

: P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

3 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

3 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	87 to 90	Not classified

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dipropylene glycol monomethyl ether	(CAS No) 34590-94-8	4	Flam. Liq. 4, H227
Poly(oxy-1,2-ethanediyl), .alpha(4- nonylphenyl)omegahydroxy-, branched	(CAS No) 127087-87-0	3 to 4	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Tetrasodium EDTA tetrahydrate	(CAS No) 13235-36-4	3	Comb. Dust Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Propylene glycol monomethyl ether	(CAS No) 107-98-2	1 to 2	Flam. Liq. 3, H226 STOT SE 3, H336
Polyethylene glycol	(CAS No) 25322-68-3	< 0.1	STOT SE 3, H335
Acetic acid	(CAS No) 64-19-7	< 0.1	Flam. Liq. 3, H226 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Poly(oxy-1,2-ethanediyl), .alpha (dinonylphenyl)omegahydroxy-	(CAS No) 9014-93-1	< 0.1	Eye Irrit. 2A, H319
2-Methoxy-1-propanol	(CAS No) 1589-47-5	< 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 1A, H360 STOT SE 3, H335

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Causes serious eye damage.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable. **Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

03/16/2016 EN (English US) 2/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Other Information: Do not allow run-off from fire fighting to enter drains or water sources.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible materials.

Incompatible Products: Strong acids, strong bases, strong oxidizers.

Storage Temperature: 1.67 - 35 °C (35 - 95 °F)

7.3. Specific End Use(s)

Floor cleaner

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Propylene gl	ycol monomethyl ether (107-98-2)	
USA ACGIH	ACGIH TWA (ppm)	50 ppm
USA ACGIH	ACGIH STEL (ppm)	100 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m³)	360 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	540 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	150 ppm
Dipropylene	glycol monomethyl ether (34590-94-8)	
USA ACGIH	ACGIH TWA (ppm)	100 ppm
USA ACGIH	ACGIH STEL (ppm)	150 ppm
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the
		cutaneous route
USA NIOSH	NIOSH REL (TWA) (mg/m³)	600 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	100 ppm

03/16/2016 EN (English US) 3/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA NIOSH	NIOSH REL (STEL) (mg/m³)	900 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	150 ppm
USA IDLH	US IDLH (ppm)	600 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	600 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm
USA OSHA	Limit value category (OSHA)	prevent or reduce skin absorption
Acetic acid (6	4-19-7)	
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH STEL (ppm)	15 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	25 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	37 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	15 ppm
USA IDLH	US IDLH (ppm)	50 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	25 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm
Polyethylene	glycol (25322-68-3)	
USA AIHA	WEEL TWA (mg/m³)	10 mg/m³ (MW>200, aerosol)

8.2. **Exposure Controls**

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing

Hand Protection

Eye Protection Skin and Body Protection

Respiratory Protection

: Chemically resistant materials and fabrics.

: Wear protective gloves.

: Chemical goggles or face shield. : Wear suitable protective clothing.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation or where exposure

levels are not known wear approved respiratory protection.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Liquid

Appearance : Clear to hazy liquid

Odor : Slight

Odor Threshold No data available

: 10 - 11 На

: No data available **Evaporation Rate** : No data available **Melting Point Freezing Point** : No data available **Boiling Point** : No data available Flash Point : No data available **Auto-ignition Temperature** : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : No data available **Vapor Pressure** : No data available Relative Vapor Density at 20 °C : No data available **Relative Density** : No data available

03/16/2016 EN (English US) 4/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific Gravity : 1.0 - 1.2

Solubility : Completely soluble in water

Partition Coefficient: N-Octanol/Water : No data available
Viscosity : No data available

9.2. Other Information

VOC content : 57 g/l

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity: Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see Section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products: Thermal decomposition generates: Carbon oxides (CO, CO₂). Irritating fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

Propylene glycol monomethyl ether (107-98-2)	
LD50 Oral Rat	5000 mg/kg	
LD50 Dermal Rabbit	13 g/kg	
LC50 Inhalation Rat	27.3 mg/l/4h	
LC50 Inhalation Rat	> 7559 ppm (Exposure time: 6 h)	
Dipropylene glycol monomethyl ethe	r (34590-94-8)	
LD50 Oral Rat	5400 μl/kg	
LD50 Dermal Rabbit	9500 mg/kg	
Acetic acid (64-19-7)		
LD50 Oral Rat	3310 mg/kg	
LD50 Dermal Rabbit	1060 mg/kg	
LC50 Inhalation Rat	11.4 mg/l/4h	
Poly(oxy-1,2-ethanediyl), .alpha(4-n	nonylphenyl)omegahydroxy-, branched (127087-87-0)	
LD50 Oral Rat	1310 mg/kg	
Polyethylene glycol (25322-68-3)		
LD50 Oral Rat	47000 mg/kg	
LD50 Dermal Rabbit	> 20 ml/kg	
Tetrasodium EDTA tetrahydrate (132	35-36-4)	
ATE (Oral)	500.00 mg/kg body weight	

Skin Corrosion/Irritation: Not classified

pH: 10 - 11

Serious Eye Damage/Irritation: Causes serious eye damage.

pH: 10 - 11

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive Toxicity: Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified
Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

03/16/2016 EN (English US) 5/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General Harmful to aquatic life with long lasting effects.

Propylene glycol monomethyl e	ether (107-98-2)
LC50 Fish 1	20.8 g/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	23300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Dipropylene glycol monomethy	d ether (34590-94-8)
LC50 Fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Acetic acid (64-19-7)	
LC50 Fish 1	79 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	65 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC 50 Fish 2	75 mg/I (Exposure time: 96 h - Species: Lepomis macrochirus [static])

12.2. Persistence and Degradability

Rinse Free Cleaner		
Persistence and Degradability	May cause long-term adverse effects in the environment.	
Dipropylene glycol monomethyl ether	(34590-94-8)	
Persistence and Degradability	Readily biodegradable.	

12.3. Bioaccumulative Potential

	1/1
Rinse Free Cleaner	
Bioaccumulative Potential	Not established.
Propylene glycol monomethyl ether (107-98-	2)
BCF fish 1	< 2
Log Pow	-0.437
Dipropylene glycol monomethyl ether (34590	0-94-8)
Log Pow	-0.064 (at 20 °C)
Bioaccumulative Potential	Not expected to bioaccumulate.
Acetic acid (64-19-7)	
Log Pow	-0.31 (at 20 °C)

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology – Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Rinse Free Cleaner		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substance	es Control Act) inventory	
Propylene glycol monomethyl ether (107-98-2)		
Listed on the United States TSCA (Toxic Substance	es Control Act) inventory	

03/16/2016 EN (English US) 6/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dipropylene glycol monomethyl ether (34590-94-8)	
Listed on the United States TSCA (Toxic Substances Cor	ntrol Act) inventory
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule
	under TSCA
Acetic acid (64-19-7)	
Listed on the United States TSCA (Toxic Substances Cor	ntrol Act) inventory
SARA Section 311/312 Hazard Classes	Fire hazard
	Immediate (acute) health hazard
2-Methoxy-1-propanol (1589-47-5)	
Listed on the United States TSCA (Toxic Substances Cor	ntrol Act) inventory
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)om	legahydroxy-, branched (127087-87-0)
Listed on the United States TSCA (Toxic Substances Cor	ntrol Act) inventory
Polyethylene glycol (25322-68-3)	
Listed on the United States TSCA (Toxic Substances Cor	ntrol Act) inventory
Poly(oxy-1,2-ethanediyl), .alpha(dinonylphenyl)om	iegahydroxy- (9014-93-1)
Listed on the United States TSCA (Toxic Substances Con	ntrol Act) inventory

15.2 US State Regulations

Propylene glycol monomethyl ether (107-98-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Dipropylene glycol monomethyl ether (34590-94-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Acetic acid (64-19-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 03/16/2016
Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Repr. 1A	Reproductive toxicity Category 1A
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H227	Combustible liquid

03/16/2016 EN (English US) 7/8

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Comb. Dust	May form combustible dust concentrations in air	
H302	Harmful if swallowed	
H314	Causes severe skin burns and eye damage	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H336	May cause drowsiness or dizziness	
H360	May damage fertility or the unborn child	
H402	Harmful to aquatic life	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

03/16/2016 EN (English US) 8/8