

Aqua Mix® Grout Colorant

1 Product Name

Aqua Mix® Grout Colorant

2 Manufacturer

Custom Building Products
 Technical Services
 10400 Pioneer Boulevard, Unit 3
 Santa Fe Springs, CA 90670
 Customer Support: 800-272-8786
 Technical Services: 800-282-8786
 Fax: 800- 200-7765
 Email: contactus@cbpmail.net
custombuildingproducts.com

3 Product Description

An easy-to-use, professional grade waterborne epoxy that recolors, seals and rejuvenates dirty or discolored existing grout joints. Use with a variety of grout types, including cement, epoxy, urethane and Single Component® grouts. Also simplifies ongoing grout cleaning by helping to guard against stains by sealing and protecting recolored grout. Includes Microban® antimicrobial protection that prevents the growth of stain-causing mold and mildew on cured colorant.

[Download Aqua Mix Grout Colorant Brochure](#)

Key Features

- Easy application and clean-up
- Durable epoxy formula
- Simplifies ongoing grout cleaning

Uses

- Sanded, unsanded, epoxy, urethane and single component grout joints.
- Effective for interior and exterior applications.

Limitations to the Product

- Grout Colorant is not recommended for use underwater in pools, ponds, or on areas subject to hydrostatic pressure.
- Do not use solvent-based cleaners, abrasive equipment or high-pressure washing equipment on recolored grout joints.
- Previously applied sealers, with the exception of [Aqua Mix® Penetrating Sealer](#), [Aqua Mix® Grout Sealer](#), [Aqua Mix® Pro-Solv](#), [Aqua Mix® Ultra-Solv®](#) or [Aqua Mix® Sealer's Choice® Gold](#), must be removed to provide a bondable surface. [Aqua Mix® Sealer & Coating Remover](#) is recommended for this procedure.
- Porous tile may require sealing to ensure colorant is not absorbed into the tile.

4 Technical Data

Technical Properties Chart

- Excellent stain resistance
- Complies with all Federal EPA and SCAQMD standards for VOC

5 Instructions

General Surface Prep

Test a small area according to application instructions, with a minimum 1-hour cure time to determine desired results.



Application of Product

USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.

Read entire label before using. SHAKE WELL before using. For new installations, Grout Colorant can be applied a minimum of 48 hours after grouting depending on jobsite conditions and ambient temperature. Grout joints must be clean, dry and free of existing sealers or coatings. Prepare existing grout joints:

MOST TILE & STONE: Use [Aqua Mix® Grout Colorant Pre-Treat Cleaner](#) or [Aqua Mix® Cement Grout Haze Remover](#).

ACID-SENSITIVE STONE OR SINGLE COMPONENT GROUT JOINTS: Use [Aqua Mix® Heavy-Duty Tile & Grout Cleaner](#).

EPOXY OR URETHANE GROUT JOINTS: Use [Aqua Mix® Sealer & Coating Remover](#).

If more than 1 bottle of a single color is to be used, mix the material together in a large container to ensure uniformity of color. Spread evenly using the Applicator Brush or toothbrush, working Grout Colorant into joint using a back-and-forth motion. Thin, even coats should be applied, limiting the amount of Grout Colorant that gets on the tile. If going from a dark to light grout color, more than 1 application may be necessary with a minimum 2-hours drying time between coats. After Grout Colorant has dried 1 or more hours (never more than 12 hours), lightly mist surface with water and let stand 5 minutes. Remove excess Grout Colorant from surface of tile using water and a white nylon scrub pad. Ready for surface traffic in 2 hours. Keep area dry for at least 24 hours. Avoid direct scrubbing on grout joints for 20 days to allow a full cure.

Drying Time

2 hours

Cleaning of equipment

Clean tools with water and soap before material dries.

Health Precautions

MAY BE HARMFUL IF SWALLOWED. MAY IRRITATE EYES AND SKIN. Wear skin and eye protection. Contains styrene-acrylic copolymer. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting, seek medical attention. KEEP OUT OF REACH OF CHILDREN.



CUSTOM®

Aqua Mix® Grout Colorant

6 Availability & Cost

| Location | Item Code | Color | Size | Package |
|----------|-----------|---------------|---------------|---------|
| USA | 63001 | White | 8 oz (237 ml) | Bottle |
| USA | 63002 | Antique White | 8 oz (237 ml) | Bottle |
| USA | 63003 | Linen White | 8 oz (237 ml) | Bottle |
| USA | 63004 | Navajo | 8 oz (237 ml) | Bottle |
| USA | 63005 | Buff | 8 oz (237 ml) | Bottle |
| USA | 63006 | Sand | 8 oz (237 ml) | Bottle |
| USA | 63007 | Beige | 8 oz (237 ml) | Bottle |
| USA | 63008 | Wheat | 8 oz (237 ml) | Bottle |
| USA | 63009 | Cinnamon | 8 oz (237 ml) | Bottle |
| USA | 63010 | Cocoa | 8 oz (237 ml) | Bottle |
| USA | 63011 | Light Gray | 8 oz (237 ml) | Bottle |
| USA | 63014 | Black | 8 oz (237 ml) | Bottle |
| USA | 63015 | Bright White | 8 oz (237 ml) | Bottle |
| USA | 63016 | Canvas | 8 oz (237 ml) | Bottle |
| USA | 63017 | Smoke | 8 oz (237 ml) | Bottle |
| USA | 63021 | Silver | 8 oz (237 ml) | Bottle |
| USA | 63022 | Natural Gray | 8 oz (237 ml) | Bottle |
| USA | 63023 | Pewter | 8 oz (237 ml) | Bottle |
| USA | 63024 | Charcoal Gray | 8 oz (237 ml) | Bottle |
| USA | 63025 | Pure White | 8 oz (237 ml) | Bottle |
| Canada | C063001 | White | 8 oz (237 ml) | Bottle |
| Canada | C063002* | Antique White | 8 oz (237 ml) | Bottle |
| Canada | C063003 | Linen White | 8 oz (237 ml) | Bottle |
| Canada | C063004* | Najavo | 8 oz (237 ml) | Bottle |
| Canada | C063005* | Buff | 8 oz (237 ml) | Bottle |
| Canada | C063006* | Sand | 8 oz (237 ml) | Bottle |
| Canada | C063007* | Beige | 8 oz (237 ml) | Bottle |
| Canada | C063008 | Wheat | 8 oz (237 ml) | Bottle |
| Canada | C063009* | Cinnamon | 8 oz (237 ml) | Bottle |
| Canada | C063010 | Cocoa | 8 oz (237 ml) | Bottle |
| Canada | C063011 | Light Gray | 8 oz (237 ml) | Bottle |
| Canada | C063014 | Black | 8 oz (237 ml) | Bottle |
| Canada | C063015* | Bright White | 8 oz (237 ml) | Bottle |
| Canada | C063016 | Canvas | 8 oz (237 ml) | Bottle |
| Canada | C063017* | Smoke | 8 oz (237 ml) | Bottle |
| Canada | C063021* | Silver | 8 oz (237 ml) | Bottle |
| Canada | C063022 | Natural Gray | 8 oz (237 ml) | Bottle |
| Canada | C063023* | Pewter | 8 oz (237 ml) | Bottle |
| Canada | C063024 | Charcoal Gray | 8 oz (237 ml) | Bottle |
| Canada | C063025 | Pure White | 8 oz (237 ml) | Bottle |

* Indicates a special order item

All colors to match with all Custom Building Products grouting products are also available through special order.

Final installed shade may vary with the tile type, color and porosity as well as jobsite conditions and finishing techniques. For best results, perform a test on a small, inconspicuous area or create a sample board prior to installation.

7 Product Warranty

Obtain the applicable **LIMITED PRODUCT WARRANTY** at www.custombuildingproducts.com/product-warranty or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.

8 Technical Services Information

For technical assistance, contact Custom technical services at 800-272-8786 or visit custombuildingproducts.com.

9 Filing System

Additional product information is available from the manufacturer upon request.

10 VOC Content

Maximum VOCs: Less than 60 grams per liter

Expected Wear

Expected Wear Up To 15 Years

Will vary depending on hardness and texture of surface, type of area, surface wear, frequency, and type of maintenance products used. Weather conditions, harsh cleaning methods and high-alkaline, acidic or solvent-based cleaners will affect wear.

Handling & Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 45° F to 85° F (7° C to 29° C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle
- Product is freeze-thaw stable

Related Products

Aqua Mix® AquaKleen™

Aqua Mix® Grout Colorant Pre-Treat Cleaner

Aqua Mix® Cement Grout Haze Remover

Aqua Mix® Heavy-Duty Tile & Grout Cleaner

Aqua Mix® Sealer & Coating Remover



CUSTOM®

Aqua Mix® Grout Colorant

Coverage

| Size | Min Coverage | Max Coverage |
|----------------------|--|--|
| 8 oz (237 mL) Bottle | 50 ft ² (4.6 M ²) | 300 ft ² (28 M ²) |

Depends on width and porosity of grout joint, size of tile, and method of application.



Aqua Mix® Grout Colorant Pre-Treat Cleaner

1 Product Name

Aqua Mix® Grout Colorant Pre-Treat Cleaner

2 Manufacturer

Custom Building Products
 Technical Services
 10400 Pioneer Boulevard, Unit 3
 Santa Fe Springs, CA 90670
 Customer Support: 800-272-8786
 Technical Services: 800-282-8786
 Fax: 800- 200-7765
 Email: contactus@cbpmail.net
custombuildingproducts.com

3 Product Description

An effective ready-to-use cleaner designed to remove dirt, soil, soap scum and hard water deposits from grout joints. Prepares non-epoxy grout joints by lightly etching the surface for a superior [Aqua Mix® Grout Colorant](#) bond.

Key Features

- Ensures a superior grout colorant bond
- Easy spray-on application
- Ideal for countertops, backsplashes and showers

Suitable Tile Types

Sanded and non-sanded grout joints.

Limitations to the Product

- Do not allow product to come in contact with any non-recommended surface
- Do not mix with ammoniated cleaners, such as bleach, as harmful fumes will result
- Not recommended on acid sensitive stone and metallic glazes. Will etch, lighten, or change the color of metallic glazes and some natural stones such as marble and limestone.

4 Technical Data

Technical Properties Chart

Complies with all Federal EPA and SCAQMD standards for VOC

5 Instructions

Application of Product

USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.

Read entire label before using. Allow newly grouted installation to cure a minimum of 10 days. Sweep, vacuum or wipe surface to remove loose debris. Pre-wet surface with water. Spray Grout Colorant Pre-Treat Cleaner directly onto grout joints in manageable area of approximately 5 to 6 ft (0.5 M to 1 M). Allow to dwell 1 to 2 minutes. Scrub grout joints with nylon or natural-bristle scrub brush or white nylon scrub pad. Do not allow solution to dry on surface. Mop up dirty solution. Rinse thoroughly with clean water, agitating with white nylon scrub pad or brush to ensure removal of cleaning agents and acid. Completely dry surface with clean, dry absorbent towels. Allow a minimum of 2 hours drying time prior to applying [Aqua Mix® Grout Colorant](#). For preparing epoxy grout joints, use [Aqua Mix® Sealer & Coating Remover](#).



Cleaning of equipment

Clean tools with water and soap before material dries.

Health Precautions

MAY BE HARMFUL IF SWALLOWED. MAY IRRITATE EYES AND SKIN. Wear skin and eye protection. Contains urea monohydrochloride. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting, seek medical attention.

6 Availability & Cost

| Location | Item Code | Size | Package |
|----------|-----------|----------------|---------|
| USA | 010678 | 8 oz. (237 ml) | Bottle |
| Canada | C010678 | 8 oz. (237 ml) | Bottle |

7 Product Warranty

Obtain the applicable **LIMITED PRODUCT WARRANTY** at www.custombuildingproducts.com/product-warranty or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.

8 Product Maintenance

Properly installed product requires no special maintenance.

9 Technical Services Information

For technical assistance, contact Custom technical services at 800-272-8786 or visit custombuildingproducts.com.

10 Filing System

Additional product information is available from the manufacturer upon request.

VOC Content

Maximum VOCs: Less than 1 gram per liter



CUSTOM®

Aqua Mix® Grout Colorant Pre-Treat Cleaner

Handling & Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 45° F to 85° F (7° C to 29° C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle
- Product is freeze-thaw stable

Related Products

Aqua Mix® Grout Colorant



CUSTOM®

Aqua Mix® Grout Colorant Pre-Treat Cleaner

Coverage

| SIZE | Min Coverage | Max Coverage |
|----------------------|----------------------------------|----------------------------------|
| 8 oz (237 mL) Bottle | 50 sq. ft. (4.6 M ²) | 300 sq. ft. (28 M ²) |



CUSTOM®