

Excelsior PR-930

Excelsior Performance Finish Remover

Version	Revision Date:	MSDS Number:	Date of last issue:
1.0	12/12/2016	PR-930	03/04/2016

SECTION 1. IDENTIFICATION

Product Name : Excelsior Performance Finish Remover

Product Code : PR-930

Supplier : RHC

Address : 1602 N. Union St.
Fostoria, OH 44830

Telephone : (844) 393 - 4044

Fax : (419) 436 - 2482


Emergency Telephone Number : (CHEMTREC): (800) 424-9300
(CHEMTREC International): (703) 527-3887
Industrial Health/Spill Emergency: (706) 277-1300

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification : H227 – Flam. Liq. 4
H315 – Skin Corr. 2
H320 – Eye Dam. 2B

See section 16 for full text of H-Phrases

GHS Label Elements

Hazard Pictograms : 

Signal Word : Warning

Hazard Statement : H227 - Combustible liquid.
H315 + H320 – Causes skin and eye irritation.

Precautionary Statement : **Prevention:**
P210 - Keep away from heat/sparks/open flames/hot surfaces.
P264 - Wash skin thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P302 + P353 - IF ON SKIN: Rinse skin with water/shower.
P332 + P313 - If skin irritation occurs, get medical advice/attention.



Excelsior PR-930

Excelsior Performance Finish Remover

Version 1.0 Revision Date: 12/12/2016 MSDS Number: PR-930 Date of last issue: 03/04/2016

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 – If eye/irritation persists: Get medical advice/attention.

Disposal:

P501 - Dispose of contents/ container to an approved waste disposal plant.

Other Hazards : None listed

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Classification : Mixtures

Description : Cleaner

Hazardous Components

CAS#	Chemical Name	Percentage
Proprietary	Surfactant Blend	20 - 30
100-51-6	Benzyl Alcohol	10 – 20
29911-27-1	Dipropylene Glycol n-Propyl Ether	5 – 10
141-43-5	2-aminoethanol	1 – 5
1300-72-7	Sodium Xylene Sulfonate	1 – 5
78-51-3	Tributoxyethyl Phosphate	1 - 5

SECTION 4. FIRST AID MEASURES

Inhalation : If inhaled, move to fresh air in case of accidental inhalation of vapors. Provide oxygen or artificial respiration if needed. Call a physician or poison control center immediately.

Skin Contact : In case of skin contact, wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.

Eye Contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Seek medical advice.

Ingestion : Do not induce vomiting without medical advice. If conscious, drink plenty of water. Never give anything by mouth to an unconscious person.

Most Important Symptoms and effects, Both Acute and Delayed

Eye Contact : Causes eye irritation.

Skin Contact : Causes skin irritation.

Excelsior PR-930

Excelsior Performance Finish Remover

Version 1.0	Revision Date: 12/12/2016	MSDS Number: PR-930	Date of last issue: 03/04/2016
----------------	------------------------------	------------------------	-----------------------------------

SECTION 5. FIREFIGHTING MEASURES

- Suitable Extinguishing Media** : Foam
Carbon dioxide (CO₂)
ABC powder
Water mist
- Specific Hazards During Firefighting** : Burning produces irritant fumes. Exposure to decomposition products may be a hazard to health.
- Specific Extinguishing Methods** : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special Protective Equipment for Firefighters** : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions, Protective Equipment and Emergency Procedures** : Use personal protective equipment. Ensure adequate ventilation. Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur.
- Environmental Precautions** : Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Do not allow contact with soil, surface or ground water. Do not allow uncontrolled discharge of product into the environment.
- Methods and Materials for Containment and Cleaning Up** : Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel. Pick up and transfer to properly labelled containers. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on Protection Against Fire and Explosion** : The product is flammable but not readily ignited.
- Advice on Safe Handling** : Wear personal protective equipment. Handle with care. Take care to avoid waste and spillage when weighing, loading and mixing the product.
- Conditions for Safe Storage** : No smoking. Keep in properly labelled containers. Observe label precautions. Keep containers tightly closed in a dry, cool and well-ventilated place.



Excelsior PR-930

Excelsior Performance Finish Remover

Version 1.0 Revision Date: 12/12/2016 MSDS Number: PR-930 Date of last issue: 03/04/2016

Materials to Avoid : Do not freeze. Keep away from oxidizing agents and strongly acid or alkaline materials. Keep away from food and drink. Keep away from tobacco products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with Workplace Control Parameters

Components	CAS-No.	Value Type (Form of Exposure)	Control Parameters / Permissible Concentration	Basis
Tributoxyethyl Phosphate	78-51-3	TWA	25 ppm	OSHA
			20 ppm	ACGIH
2-aminoethanol	141-43-5	TWA	6 ppm	OSHA (PEI)
Benzyl Alcohol	100-51-6	TWA	6 mg/m ³	Osha (PEL)

Exposure Controls

Engineering Controls : Ensure adequate ventilation, especially in confined areas. Maintain air concentrations below occupational exposure standards. Ensure all national/local regulations are observed.

Environmental Exposure Controls : Do not allow product to be released into the environment.

Consumer Exposure Controls : Do not eat, drink or smoke during use.

Personal Protective Equipment

Respiratory Protection : Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Hand Protection : Wear impervious gloves.

Eye Protection : Wear safety glasses with side-shields or tightly fitting safety goggles.

Skin & Body Protection : Wear suitable protective, chemically resistant clothing and footwear. Rinse skin after contact. Change contaminated clothing before reuse.

Protective Measures : Avoid contact with skin. When using do not eat, drink or smoke. Wear personal protective equipment comprising: suitable protective gloves, safety goggles and protective

SAFETY DATA SHEET



Excelsior PR-930 Excelsior Performance Finish Remover

Version 1.0	Revision Date: 12/12/2016	MSDS Number: PR-930	Date of last issue: 03/04/2016
----------------	------------------------------	------------------------	-----------------------------------

clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene Measures : Do not smoke. Keep away from food and drink. Avoid contact with skin, eyes and clothing. Change working clothes after each workshift. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Color	: Clear
Odor	: Characteristic
pH	: 11
Melting Point / Range	: No data available
Freezing Point	: No data available
Boiling Point / Range	: 212 °F (100° C)
Flash Point	: 167 °F (75° C)
Flammability	: No data available
Auto-Ignition Temperature	: No data available
Decomposition Temperature	: No data available
Upper & Lower Flammability Limit	: None
Specific Gravity	: 1.007
Water Solubility	: Completely soluble
Solvent Solubility	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under normal conditions.
Chemical Stability	: Stable under recommended handling and storage conditions (see section 7).



Excelsior PR-930

Excelsior Performance Finish Remover

Version 1.0	Revision Date: 12/12/2016	MSDS Number: PR-930	Date of last issue: 03/04/2016
----------------	------------------------------	------------------------	-----------------------------------

Possibility of Hazardous Reactions	: None known.
Conditions to Avoid	: Protect from freezing.
Incompatible Materials	: Strong acids, strong bases, strong oxidizers.
Hazardous Decomposition Products	: Carbon dioxide (CO ₂), carbon monoxide (CO), oxides of nitrogen (NO _x), dense black smoke.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological Effects (Product)

Acute Toxicity	: None
Skin Corrosion / Irritation	: May cause skin irritation.
Serious Eye Damage / Irritation	: May cause eye irritation.
Respiratory or Skin Sensitization	: Not classified
Germ Cell Mutagenicity	: Not classified
Teratogenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive Toxicity	: Not classified
Aspiration Hazard	: Not classified
Specific Target Organ Toxicity (Single or Repeated Exposure)	: Not classified

Carcinogenic Categories

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Excelsior PR-930
Excelsior Performance Finish Remover

Version	Revision Date:	MSDS Number:	Date of last issue:
1.0	12/12/2016	PR-930	03/04/2016

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity (Product)**

Toxicity : Not available

Persistence & Degradability : Not available

Bioaccumulative Potential : Not available

Mobility in Soil : Not available

Other Adverse Effects : None known

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal Methods**

Waste from Residues : Do not dispose of waste into sewer. Can be landfilled when in accordance with federal, state/province and local regulations.

Contaminated Packaging : Clean container with water. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulation**

IMDG-Code : Not regulated as a dangerous good

IATA-DGR : Not regulated as a dangerous good

UNRTDG : Not regulated as a dangerous good

National Regulation

DOT : Not regulated as a dangerous good

49 CFR : Not regulated as a dangerous good



Excelsior PR-930
Excelsior Performance Finish Remover

Version 1.0 Revision Date: 12/12/2016 MSDS Number: PR-930 Date of last issue: 03/04/2016

SECTION 15. REGULATORY INFORMATION

- SARA 302** : Immediate (acute) health hazard.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
- California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

- Revision Date** : 6.8.2016
- Other Information** : This document has been prepared in accordance with the SDS requirements of OSHA Hazard Communication Standard 29 CFR 1910.1200.


GHS Full Text Phrases

GHS Code	GHS Phrase
H227	Combustible Liquid
H315	Causes skin irritation
H320	Causes eye irritation

H227 - Combustible liquid.
H315 – Causes skin irritation.
H320 – Causes eye irritation.

Further information

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	B

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

SAFETY DATA SHEET



Excelsior PR-930 Excelsior Performance Finish Remover

Version	Revision Date:	MSDS Number:	Date of last issue:
1.0	12/12/2016	PR-930	03/04/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.